

The Sinclair Research ZX80

John C McCallum, Department of Computer Science
York University, 4700 Keele St
Downsview, Ontario, M3J 1P3 Canada

The new ZX80 microcomputer from Sinclair Research Ltd is a remarkable device. Although first announced to the North American public in February, 1980, the microcomputer did not become available until the fall. During the wait, the price has dropped from the expected \$245 to just under \$200. Because of this, the ZX80 is being

widely advertised as the first personal computer for under \$200.

The ZX80, shown in photo 1, is a new design from Clive Sinclair, a well-known British electronics innovator. Sinclair is best known for his previous products: a miniature television, low-cost calculator and digital watch kits, and miniature stereo components. All of his products have stressed small size, low cost, and high-quality operation—usually at the expense of packaging. The same is true of the ZX80.

Can it be any good if it sells for under \$200? This is a reasonable question, but the question that is most important when buying a computer is, "Will it do the job I want it to do?" The only way to tell is to look at its features in some detail. In order to design a very low-cost computer, some features had to be cut. However, the new features that have been added are rather impressive. The good features include low price, small size, high microprocessor speed, ease of program entry, and real-time BASIC syntax checking.

The price of \$199.95 includes the assembled computer, an AC (alternating current) power adapter, a cable to connect the ZX80 to a standard television set (channel 2), connectors for a cassette recorder, and a well-written book on programming in BASIC for the ZX80. For those interested in building kits, a kit version is available. However, you will not save money by doing so, and the kit involves some steps that are rather involved for an inexperienced kit builder.

The ZX80 is small. The actual dimensions are 15.9 by 20.8 by 3.5 cm (6½ by 8½ by 1½ inches), or about the size of a hardcover book. It is not the smallest personal computer—the new pocket computers from Sharp, Panasonic, Quasar, and Radio Shack have that honor. Also, because the ZX80 has to be attached to its AC adapter and a television set to work, some of its size advantage is lost.

As part of this evaluation, several benchmark programs were run in BASIC to compare the ZX80 to other personal computers. Although the ZX80 is not as fast as advertisements imply, it does run faster than many other personal computers, including the Radio Shack TRS-80 Model I.

At a Glance

Name Sinclair ZX80	Other hardware features Forty-key pressure-sensitive keyboard; built-in RF (radio-frequency) modulator (for channel 2); creates video display of 24 lines of 32 characters each; includes AC adapter, cables to cassette recorder
Manufacturer Sinclair Research Ltd 475 Main St POB 3027 Wallingford CT 06492 (617) 367-1988	Software 4 K-byte system ROM, which includes a BASIC interpreter and necessary internal software
Price \$199.95	Options 8 K-byte BASIC module and 16 K-byte programmable memory module (see "New Sinclair Modules" text box for details)
Dimensions 15.9 by 20.8 by 3.7 cm (6½ by 8½ by 1½ inches)	Comments Contains introductory BASIC book, <i>A Course in BASIC Programming</i> , 128 pages, 20 by 14 cm (8¼ by 5¾ inches)
Processor Z80A, 8-bit	
System clock frequency 3.25 MHz	
Memory 1 K-byte static memory, 4 K-byte system ROM (includes BASIC interpreter)	
Mass storage Uses standard cassette recorder (not included)	

High Technology


Have you heard?
The Cashier* has been
promoted to
The Store Manager™

The Cashier has so much more to offer than its name implies that we decided to give it a new name. This valuable software package can save time and increase profits for small business owners by providing:

- real-time inventory control
- point-of-sale functions
- customer & vendor address lists and mailing labels
- informative management reports
- up-to-the-minute sales monitoring
- invoices, quotations, & packing slips
- purchase orders & receiving reports
- daily, monthly, and year-to-date sales totals
- physical inventory checklists
- and much, much more.

But what can you call a software package for the Apple II* that does so much? You might call it 'remarkable'... we call it The Store Manager.

Drop by your local
computer store and
see what The
Store Manager
can do
for you.



**High
Technology, Inc.**

P.O. Box B-14665
8001 N. Classen Blvd.
Oklahoma City, Oklahoma 73113
405 840-9900

*Apple II and The Cashier are trade names of Apple Computer Inc.




Photo 1: A photograph of the ZX80 in operation. The homemade power supply gives an indication of the small size of the computer. At the bottom of the television set, a BASIC line is being edited.

The ZX80 also has a few software features that are useful. The single-stroke keywords mean that, instead of typing a whole word, you have to type only a single character on the keyboard. This can cause some confusion at first, and it takes some time to remember not to type the whole word. But it does speed up the typing process when entering a program. Because the keywords are stored in 1 byte each, you save memory space that can be used for extra program storage.

Another BASIC feature that I found impressive is the syntax checking of the program as you type it in. I have always been disappointed that most other versions of BASIC do not do this. The ZX80 actually prompts you with the type of input it is looking for—a keyword, a literal, a string, or a number. If you enter an illegal statement, it indicates where the statement is wrong and will not let you enter that statement into the program. It also does a similar check on input data requested by a running BASIC program. In fact, it allows you to enter simple expressions for numeric input and calculates the value while reading the value into the program; a very nice feature.

At \$200, though, everything cannot be optimum. There are objectionable features too. The most annoying or limiting features of the ZX80 are its small memory size, screen blanking during program execution, its limited BASIC, and its keyboard.

The ZX80 comes with 1 K bytes of programmable static memory, although a memory-expansion board allowing 16 K bytes of memory is expected soon (see text box). These 1024 bytes of memory are shared by system variables, your BASIC program, the program variables, working space, the video-display memory and the stack. Although the space is used very efficiently, 1 K bytes of memory do not store a large program, no matter how efficiently it is squeezed.

Perhaps the most limiting characteristic of the ZX80 is the screen-blanking behavior. When the ZX80 is executing a program, the TV screen goes black. This happens because the processor is used to control the display as well as to do the processing, and the design decision was made to have the processor devote its time to only one of these. The effect of this trade-off is to increase pro-





Photo 2: The character set of the ZX80 computer. Photo 2a shows a program that will list all 256 characters used by the ZX80. Photo 2b shows the character set produced by the program; note that some characters are expanded to multiletter keywords and that undefined codes are represented by a question mark.




Photo 3: Editing on the ZX80. The cursor (at line 510 at the top of the screen) can be moved via arrow keys to different lines of the program. When the Edit key is pressed, the line being pointed to is copied at the bottom of the screen, where it can be edited. The cursor on the bottom line can be moved right and left; characters can be deleted or inserted at the current cursor position. When the Newline key is pressed, changes made in this line are added to the existing program.

cessing speed at the expense of limiting the interactive quality of the ZX80. It is not going to have the same types of games as the Commodore PET or the Apple II computers. However, when performing long calculations on the ZX80, it is easy to tell when the program ends—the room bursts into light!

The limited features of ZX80 BASIC are also frustrating. This is a result of the limited amount (4 K bytes) of ROM (read-only memory) available. This memory contains the software used for the BASIC interpreter, for the character generator for the TV display, for decoding the keyboard, and for cassette reading and writing. This squeeze results in many useful BASIC functions being omitted.

When dealing with strings, for example, you can break up a string using two functions: CODE gives the ASCII (American Standard Code for Information Interchange) equivalent of the first character of the string; the TL\$ (tail) function returns a string containing all but the first character of the string. As an example of functions left out, you cannot put two strings together (no concatenate operation or function exists). However, Sinclair intends to bring out an optional 8 K-byte floating-point BASIC on a single ROM. With more than double the space to work with, it should be a very rich and impressive language.

The last feature that I find annoying is the keyboard. It works—but @'#\$%. It is a touch-sensitive keyboard—smooth, washable, indestructible. But it is difficult to keep your fingers positioned properly on the keys, particularly on the shift key, without inadvertently pressing an extra key or two. The hardest keys to use are the cursor controls and the rubout keys (both are shifted characters). I always seem to end up with zeros where I want to remove a character (rubout is shift-zero). Remember, though, that some people pay more for a keyboard than this entire computer costs. This was a very wise place to save money on the design.

Some Technical Details

The ZX80 microcomputer uses a very efficient design with a total of only twenty-two standard integrated circuits, including the voltage regulator. The main processor is a Z80A processor running at a speed of about 3.2 MHz. The programmable memory is a pair of 4 K-bit static memory devices. The ROM is a single 4 K-byte part that includes both the BASIC interpreter and the other functions listed above.

The operation of the ZX80 is—so far as I understand it—quite complicated because it works on a mix of hardware and software. The overall concept is that the refresh counter of the Z80 is used to control the generation of the lines of the video display, producing dots on the TV screen at twice the frequency of the processor clock. The keyboard is scanned under software control as I/O (input/output) port number 1, a port that is also shared by the cassette input circuitry. The cassette output signal is the same as the video synchronization signal; it is also under software control. It is an interesting design, but you will need to study the ZX80 ROM carefully before you can really understand it.

The character set is also a little strange. The keywords that are entered with single strokes are stored as single tokens and are expanded when displayed. Photo 2 shows

800
400
810
825
850
16K
410 F
830 M
Star
Softw
Spec
800
sta
Lexico
LE
Novat
CAT
D-D
APP -
Sanyo
Hazel
1500
1422
Soroc
10
10
Televis
912 B
912 B
920 B
920 B
Zenith
Centron
730 B
730 B
737 S
737 B
Diablo
1640
1650
Epson-M
NEC
5510
5520
Okidata
Qume
3 45
3 55
Teletype
Mobe
Mobe
Texas Ins
510 B
510 B
520 B
520 B
Core 56

a program for generating all 256 codes.

The high quality of the black-and-white display can be seen in the photograph of the TV screen, which is a standard 12-inch color TV set (see photo 2b). The question marks are undefined codes, and the keywords (which are spelled out) are fairly obvious. The graphics characters allow a limited 46- by 64-pixel graphics resolution. However, since the ZX80 is not primarily designed for interactive graphics applications, the existing resolution on the ZX80 should be sufficient.

Software Features

The ZX80 system is excellent for learning introductory programming concepts. This is in large part due to the immediate feedback about errors. For the student at the introductory level, the limited features of the language are useful in preventing confusion; compare this with the extreme detail taken to describe some complicated versions of BASIC. When you are ready to progress at a later time, the expanded version of BASIC will be available.

ZX80 BASIC not only prevents you from making syntax errors, but it also prompts you with a cursor that tells you what it is expecting—a *keyword* (denoted by a K inside the square cursor) a *literal* (denoted by an L), or a *numeric literal* (denoted by an LS). When a program is expecting string input, it puts the cursor between quotes, then expands the quotes as you enter the text. With the ZX80, you never get the string errors during data entry that are so common with other personal computers.

The method of editing programs is also well planned. A cursor, controlled by the ↑ and ↓ cursor keys, is used to

point to the "current" line. When the Edit key is pressed, the current line moves down to the bottom of the screen to the program-entry line. There is always at least one line between the program and the text-entry line, so you will not get the areas confused.

Once the line is in the program-entry area, the line is treated exactly like a program line that you are typing except that the cursor is at the beginning of the statement. The cursor control keys ← and → are used to move the cursor within the line. Typing anything just inserts it at that point in the line, and the rubout key is used to delete the previous character. When you are finished editing, just press Newline and the edited line replaces the old line in the program (see photo 3). If you modify the line number during editing, you create a new line in the program. This feature makes it very easy to duplicate lines in a program.

The best way to describe the features of the ZX80 BASIC language is to add to the comparison table used by *Creative Computing* in their "BASICs Comparison Chart" (July 1980 issue, pages 28 and 29). The major features of the Sinclair Research ZX80 4 K-byte BASIC are given in table 1.

Performance of the ZX80


At some time, all users become concerned about the speed of their computers. There is no simple way to compare the speed of various personal computers without running actual programs. Two standard benchmarks have been used to compare a wide range of computers running BASIC. These have been run on the ZX80 to get a valid estimate of its speed.

The system clock frequency of the Z80A processor is 3.2 MHz. This compares to about 1.77 MHz for the Radio Shack TRS-80 Model I or to the 4 MHz of the TRS-80 Model II, both of which also use the Z80 as the main processor. A Z80 running at 2 MHz should be

the electric pencil II™

©1981 Michael Shroyer

for the TRS-80 Model II* Computer



The Electric Pencil is a Character Oriented Word Processing System. This means that text is entered as a continuous string of characters and is manipulated as such. This allows the user enormous freedom and ease in the movement and handling of text. Since lines are not delineated, any number of characters, words, lines or paragraphs may be inserted or deleted anywhere in the text. The entirety of the text shifts and opens up or closes as needed in full view of the user. Carriage returns as well as word hyphenation are not required since each line of text is formatted automatically.

As text is typed and the end of a screen line is reached, a partially completed word is shifted to the beginning of the following line. Whenever text is inserted or deleted, existing text is pushed down or pulled up in a wrap-around fashion. Everything appears on the video display screen as it occurs thereby eliminating any guesswork. Text may be reviewed at will by variable speed or page-at-a-time scrolling both in the forward and reverse directions. By using the search or the search and replace function, any string of characters may be located and/or replaced with any other string of characters as desired. Specific sets of characters within encoded strings may also be located.

When text is printed, The Electric Pencil automatically inserts carriage returns where they are needed. Numerous combinations of Line Length, Page Length, Character Spacing, Line Spacing and Page Spacing allow for any form to be handled. Right justification gives right-hand margins that are even. Pages may be numbered as well as titled.

the electric pencil

—A Proven Word Processing System

The TRSDOS versions of The Electric Pencil II are our best effort. You can now type as fast as you like without losing any characters. New TRSDOS features include word left, word right, word delete, bottom of page numbering as well as extended cursor controls for greater user flexibility. BASIC files may also be written and simply edited without additional software.

Our CP/M versions are the same as we have been distributing for several years and allow the CP/M user to edit CP/M files with the addition of our CONVERT utility for an additional \$35.00. CONVERT is not required if only quick and easy word processing is required. A keyboard buffer permits fast typing without character loss.

CP/M	TRSDOS
Serial Diablo, NEC, Gume	\$ 300.00
	\$ 350.00
All other printers	\$ 275.00
	\$ 325.00

The Electric Pencil II is still available for TRS-80 Model I users. Although not as sophisticated as Electric Pencil II, it is still an extremely easy to use and powerful word processing system. The software has been designed to be used with both Level I (16K system) and Level II models of the TRS-80. Two versions, one for use with cassette, and one for use with disk, are available on cassette. The TRS-80 disk version is easily transferred to disk and is fully interactive with the READ, WRITE, DIR, and KILL routines of TRSDOS.

TRC	Cassette	\$ 100.00
TRD	Disk	\$ 150.00

Features

TRSDOS or CP/M Compatible • Supports Four Disk Drives • Dynamic Print Formatting • Diablo, NEC, & Gume Print Packages • Multi-Column Printing • Print Value Chaining • Page-at-a-time Scrolling • Bidirectional Multispeed Scrolling • Subsystem with Print Value Scoreboard • Automatic Word & Record Number Tally • Global Search & Replace • Full Margin Control • End of Page Control • Non Printing Text Commenting • Line & Paragraph Indentation • Centering • Underlining • Boldface



MICHAEL SHROYER SOFTWARE, INC.
1198 Los Robles Dr.
Palm Springs, CA. 92262
(714) 323-1400

Integer variables	yes; names must contain letters and numbers only, but can be any length.
Real variables	no
String variables	yes; names must be one letter followed by a dollar sign (eg: A\$, B\$, ..., Y\$, Z\$).
Arrays	integer and one-dimensional (eg: C(N)) only; names must be one letter long and are initialized to zero values.
Arithmetic operations	performed on 16-bit signed integer values.
Arithmetic operations	+ , - , * , / , ** (exponentiation)
Relational operations	= , > , < , on either string or integer argument pairs.
Boolean operations	NOT , AND , OR performed on corresponding bits of integer arguments.
String operations	CHR\$(X) , TL\$(X\$) , STR\$(X\$)
BASIC statements	CLEAR , CLS , DIM , FOR , GOSUB , GO TO , HOME , IF , INPUT , LET , NEXT , POKE , PRINT , RANDOMIZE , REM , RETURN , STOP
BASIC expressions	ABS(X) , CODE(X\$) , PEEK(X) , RND(X) , USR(X)
BASIC commands	CONTINUE , EDIT , LIST , LOAD , NEW , RUN , SAVE
Graphics	20 graphics characters; effective resolution is 46 rows of 64 squares per row, plus some graphics characters for shading.

Table 1: Summary of the Sinclair Research ZX80 4 K-byte BASIC.

Benchmark Number	1	2	3	4	5	6	7
Execution Time (Seconds)	1.6	4.7	9.0	8.5	12.2	25.3	38.5

Table 2: Execution times of BASIC benchmark programs on the Sinclair ZX80. See text for details

similar in speed to a 6502 running at 1 MHz (as used in the Commodore PET or the Apple II). These estimations, however, do not consider the efficiency of the BASIC interpreter, which is often the most important speed factor. Thus, the execution-timing test of actual BASIC benchmark programs is the most important way of comparing the speed of various personal computers.

The ZX80 ranked between second and third places in the BASIC benchmarks done for *Kilobaud* magazine (see "BASIC Timing Comparisons" by Tom Rugg and Phil Feldman, October 1977, page 20). It was beaten only by a 6502 microprocessor running at 2 MHz (an Ohio Scientific Challenger II running its 8 K-byte BASIC), and by a Z80 running at 4 MHz (Zapple 8 K-byte BASIC). For those interested in the actual times of the benchmark programs, they are given in table 2.

The prime-number program used for benchmarking BASIC processors by *Interface Age* was also run (see "Assignment: Benchmark," by Tom Fox, June 1980, page 130). [A similar benchmark program was given in "TRS-80 Performance: Evaluation by Program Timing" by James R Lewis, on page 84 of the March 1980 *BYTE...GW*] This benchmark is particularly interesting because it was run on several of the fastest small computers, as well as on a DEC (Digital Equipment Corporation) PDP-10 computer. The program given in the *Interface Age* article had to be modified slightly to allow for integer BASIC. However, the only major effect was to change an INT function to an integer multiply. The execution time for the program running on the ZX80 was

1604 seconds. Although this was not very fast compared with many of the computers in this benchmark, it was not the slowest either (the TRS-80 Model I took 1928 seconds). The execution time was decreased to 1513 seconds by removing the comment statements from the program (a 5% increase in speed). This is a typical way of speeding up BASIC interpreters.


The ZX80 might be summarized as a high-performance, very low-cost, portable personal computer system. It is best used for home or school use in learning the concepts of programming. When the memory-expansion and floating-point-BASIC modules become available (see the "New Sinclair Modules" text box), it will also be good for low-cost mathematical, scientific, and engineering applications. If you are looking for your own home computer, the ZX80 is a good starting point. ■

New Sinclair Modules

As this article goes to press, Sinclair Research Ltd has announced two new modules for the ZX80, an 8 K-byte BASIC in ROM and a 16 K-byte programmable-memory module. According to an American representative of Sinclair Research Ltd, the programmable-memory module and a later version of the BASIC module currently being sold in England will probably be available soon on the American market. The prices are expected to be "under \$100" for the 16 K-byte programmable-memory module and "about \$40" for the 8 K-byte BASIC module. The BASIC module will be slightly different from the one now being sold in England in that it will add printer support to the ZX80.

References

1. Davenport, Hugo. *A Course in BASIC Programming—ZX80 Operating Manual*. Sinclair Research Ltd, 1980.
2. "Personal computer looks to open up the market with an ultralow price." *Electronics*, Volume 54, Number 4, February 14, 1980, pages 80 thru 82.



New PASCAL-100™ CPU mates today's popular UCSD Pascal language to your S-100 system. With both a Z80 processor and the Pascal Microengine¹ aboard, PASCAL-100 gives you the power of software data structuring without sacrificing speed, memory space—or even your current Z80, 8080 and CP/M² software.

Greater Speed. Up to 5 to 10 times faster than usual S-100

For complete information—fast—mail this ad or call us.

Name _____ Title _____
 Company _____ Phone _____
 Address _____
 State _____ Zip _____



Digicomp Research Terrace Hill, Ithaca NY 14850 (607) 273-5900

implementations of UCSD Pascal.³

PASCAL™ 100

More Memory. Up to 128K bytes of memory, plus an optional 1M extended address feature.

Better Performance. Complies with the new IEEE standard—PASCAL-100 has upward compatibility built in.

Dealer/OEM Inquiries welcomed

